



Product Specification

Last updated Feb-08

Page 1 of 1

TT4040

Product	Transfer Tape
Liner	White PE paper 110gsm
Carrier	None
Adhesive	Solvent acrylic
Description	Pure solvent acrylic adhesive on a moisture stable PE paper liner. This unsupported adhesive provides a clean and tidy method of making various types of materials self-adhesive providing lasting adhesion in demanding conditions. UV stable.
Typical applications	Paper, stationary, foam rubber, leather, badge and nameplate mounting, suitable for interior as well as exterior
Application temperature	18°C - 25°C

Coating Thickness	0.040mm - 0.045mm		
Temperature resistance	-40°C - 160°C		
Initial Tack (Side A/B) (PSTC-6 #14 ball)	< 2 cm		
Holding Power (Side A/B) (PSTC-7)	> 24 Hrs 1 kg/2.5cmx2.5cm		
Holding Power for temperature resistance 80°C (PSTC-7)	> 12 Hrs 0.5kg/2.5cmx2.5cm		
Adhesion (Side A/B) (PSTC-1)	g/2.5cm	OZ/in	N/2.5cm
	>2000	>70.54	>19.50
Solvent resistance			

Prior to application the surface should be made dry and free of any dirt, dust and grease. Use sufficient pressure over the whole surface at room temperature to ensure maximum adhesive contact.

Copyright © 2008 SK Direct (UK) Ltd

All statements, technical information and recommendations are based on tests we believe to be reliable, but the accuracy and completeness thereof is not guaranteed and the following is made in lieu off all warrantees, expressed or implied, including the implied warrantees of merchantability and fitness for purpose: Seller's and Manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, User shall determine the suitability of the product for its intended use, and User assumes all risk and liability whatsoever in connection therewith. Seller reserves the right to improve the product and accordingly change the specification without notice. Neither Seller nor Manufacturer shall be liable either in tort or in contract for any loss or damage, direct, incidental or consequential, arising out of the use of or the inability to use the product. No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of or Seller and Manufacturer.